New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Black Not Hispanic NJ Residents

		Adult/Adolescent *	Pediatric *		Total	
1.	Current HIV/AIDS Category	Cases %	Cases %		Cases %	_
	AIDS-Any OI AIDS-CD4 Only HIV Only	3159 18 6128 35 8364 47	74 23	3 O 2	3233 1 6128 3	8 4 8
	Total	17651 100	261 10		17912 10	0
2.	Current Age * Cases %	3. Race/Eth.	Adult/Adl* Cases %	Pediatric Cases %	* Total Cases %	
	<pre><5</pre>	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown Total	0 0 17651 100 0 0 0 0 17651 100	0 0 261 100 0 0 0 0 261 100	0 0 17912 100 0 0 0 0	
4.	Patient Group	Adult/ <i>F</i> Males %	Adolescent Trai	nsmission N es %	Modes ** Total	양
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	2166 21 3791 36 438 4 1378 13 2623 25	228: 270: 205:	0 0 2 38 2 29	2166 6076 438 4080 4675	12 35 3 23 27
	Total	10396 100	703	9 100	17435	100
		Males %	ediatric Transı Female	es %	Total	90
	Parent at risk/has AIDS/HIV Risk not reported/other***	227 96 10 4	23	7 3	460 17	96 4
	Total	237 100	24	0 100	477	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2004.
- ** 216 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Black Not Hispanic NJ Residents

			Adult/Adol	escent*		Pedia	atric*			Tot	tal
1. Disease	Category	Cas	es (%)	Deaths (%)	Cases		Death	.s (%)	Cases	(응)	Deaths (%)
PCP Other OI KS Alone No Disea	,	8	, ,	5711 (83) 6391 (78) 152 (77) 4364 (42)	146 (342 (0 (30) 70)	199 0	(77) (58) (.) (0)	7037 (8566 (197 (10491 (33)	5824 (83) 6590 (77) 152 (77) 4364 (42)
Total		25	802 (100)	16618 (64)	489 (1	100)	312	(64)	26291 (1	.00)	16930 (64)
2. Age *	Cases	96	3. Race/	Eth.	Adult/Adl [*] Cases %		Pediatr Cases		Total Cases	olo	
Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	368 121 142 3130 11421 8146 2963	0 1 12 43 31	Black Hispa Other	/Unknown)))	0 489 0 0 489	100 0 0 0 0 	26291 0 0 26291	0 100 0 0 	
Total	26291	100									

4.	Patient	Group
----	---------	-------

Patient Group	Adult/Adolescent Transmission Modes **								
	Males	용	Females	용	Total	용			
Men sex with men (MSM)	3082	18	0	0	3082	12			
Injection drug user (IDU)	9064	53	4110	47	13174	51			
MSM/IDU	893	5	0	0	893	3			
Heterosexual contact	1530	9	2919	34	4449	17			
Risk not reported/other***	2536	15	1639	19	4175	16			
Total	17105	100	8668	100	25773	100			

	Males	8	atric Transmis Females		Total	્ર
Parent at risk/has AIDS/HIV	250	95	248	97	498	96
Risk not reported/other***	12	5	8	3	20	4
Total	262	100	256	100	518	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 29} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Black Not Hispanic NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Deaths	Case-Fatality Rate
Before 1985	338	323	96%
1985	411	397	97%
1986	639	603	94%
1987	980	925	94%
1988	1067	998	94%
1989	1426	1292	91%
1990	1407	1269	90%
1991	1486	1356	91%
1992	1902	1635	86%
1993	2758	2142	78%
1994	2284	1622	71%
1995	2166	1271	59%
1996	1889	919	49%
1997	1517	660	44%
1998	1125	426	38%
1999	1154	376	33%
2000	1035	270	26%
2001	975	233	24%
2002	820	139	17%
2003	687	69	10%
2004	225	5	2%
Total	26291	16930	64%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Black Not Hispanic NJ Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	용	Race/Ethnicity	Cases	용	Cases	용	Cases	용
Under 5	245	2	White, Not Hispanic	0	0	0	0	0	0
5-12	41	0	Black, Not Hispanic	9743	100	286	100	10029	100
13-19	265	3	Hispanic	0	0	0	0	0	0
20-29	2064	21	Other/Unknown	0	0	0	0	0	0
30-39	3905	39							
40-49	2569	26	Total	9743	100	286	100	10029	100
Over 49	940	9							
Unknown	0	0							
Total	10029	100							

Patient Group	Ac	ult/Adol	escent Transı	mission M	lodes **	
-	Males	%	Females	90	Total	용
Man and with man (MOM)	1098	19		0	1098	11
Men sex with men (MSM)	2074	37	•	32	3408	35
Injection drug user (IDU) MSM/IDU	2074	4	1334	32 0	206	2
	206 707	13	•	36		2.2
Heterosexual contact			1470		2177	
Risk not reported/other***	1550	28	1304	32	2854	29
Total	5635	100	4108	100	9743	100
		Pedia	tric Transmi:	ssion Mod	les	
	Males	%	Females	90	Total	%
Parent at risk/has AIDS/HIV	132	96	144	97	276	97
Risk not reported/other***	5	4	5	3	10	3
Total	137	100	149	100	286	100

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Black Not Hispanic NJ Residents

1.	Current HI	V/AIDS Ca		С	lt/Adol ases 	lescent *	Pec Case		ic *	Case:			
	AIDS-Any O AIDS-CD4 O HIV Only	I nly		1 1	5305 0467	43	4	94 25 86	61 3 36	1579: 1049: 1002:	9 2 9	43 29 28	
	Total				5515	100		05	100	3632		00	
2.	Age *	Cases	90		e/Eth.		Adult/A	용	Pedia Cases			To ases	tal %
	Under 5 5-12 13-19 20-29	666 139 483 6127 15749	2 0 1 17	Whi Bla His Oth	te, Not	Hispanic Hispanic	0 35515	0 100 0 0	0	0 100 0 0		0 36320 0 0	0
	30-39 40-49 Over 49 Unknown	9640 3516	27 10 0		 al		35515		805			36320	
	Total	36320	100										
4.	Patient Gr	-				Ad Males	%	F	Transmiss		** Total	%	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th men (M drug user al contac eported/c	ISM) (IDU) ther***			4180 11138 1099 2237 4086	18 49 5 10 18		0 0 5444 43 0 0 4389 34 2943 23		4180 16582 1099 6626 7029	12 47 3 19 20	
	Total					22740	100		12776 100		35516	100	
						Males	용	F	ransmissic		Total	%	
	Parent at Risk not r	eported/c	AIDS/HIV	7		382 17	96 4		392 97 13 3		774 30	96 4	
	Total					399	100	_	405 100		804	100	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

** 1 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

 $\star\star\star$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Black Not Hispanic NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	381	347	91%
1985	531	488	92%
1986	838	741	88%
1987	1277	1123	88%
1988	1505	1305	87%
1989	2038	1702	84%
1990	2243	1750	78%
1991	2442	1833	75%
1992	3964	2231	56%
1993	3419	1851	54%
1994	2937	1462	50%
1995	2578	1056	41%
1996	2070	700	34%
1997	1891	517	27%
1998	1525	378	25%
1999	1467	329	22%
2000	1536	244	16%
2001	1281	180	14%
2002	1172	106	9%
2003	950	57	6%
2004	275	8	3%
Total	36320	18408	 51%